



WIRE DRAWING MACHINE



Details



Operation panel



Parameter

Model	CDO-WD1	CDO-WD8	CDO-WD12
Power source	3 phase 380V, 50/60Hz	3 phase 380V, 50/60Hz	3 phase 380V, 50/60Hz
Power	4kw	4kw	7.5kw
Application	Au, Ag, Cu wire shrinkage	Au, Ag, Cu wire shrinkage	Au, Ag, Cu wire shrinkage
Dies capacity	1 pcs per time	8 pcs per time	12 pcs per time
Wire diameter range	2.2mm→0.2mm	2.2mm→0.2mm	2.2mm→0.2mm
Drawing speed	0-50 m/min	0-50 m/min	0-50 m/min
Dimension	650*550*1000mm	1300*740*1370mm	1300*740*1370mm
Weight	150kg	420kg	420kg
Cooling way	Automatic liquid cooling	Automatic liquid cooling	Automatic liquid cooling

Feature

1: Our Vacuum gold bar casting machine comes with the plc touchscreen system control, the operator only has to filled in the graphite mould with the pre-weighted raw material, like gold powder, gold grain, close the door of the melting chamber as well as press the START switch to release the automatic cycle, the casting will started automaticly, after finished the casting cycle, you canabtain the gold or silver bar which is ready for the market.


2:The induction coil is custom designed to be either square or rectangular in shape, with a water cooling plate in the middle of the coil. After melting, the cooling plate will be jacked up by a cylinder to rapidly cool the graphite mould, allowing the graphite cover and graphite mould to reach the same temperature, resulting in a bright and flat surface.

3:The entire casting process consists of melting and cooling process, with melting times ranging from 6 to 12 minutes, depending on the size of the bars The cooling time is usually recommended to be 8 minutes or more, as this will maximise the lifetime of the graphite mould.

4:24-hour continuous operation, thus satisfying customers with high production output requirements.

5:There is no need for engineers to install and debug onsite. Each gold bar casting machine comes with installation and debugging video. Under the video guidance, you can simply complete the installation and start to run our furnace,what is more,each gold bar casting machine produced by CDOCAST will be strictly tested before leaving the factory to ensure stable quality

Application



www.cdcast.com



CDOCAST MACHINERY CO., LTD.

Skype: mandymeina
Tel: +86-15168765707

Email: sales@cdocast.com
Website: www.cdcast.com