



7.5P Double Head Wire Rolling Mill



Specification

Size	LxWxH (1420x700x1430)mm
Weight	1500kg
Motor	5.5kW
Voltage	3 Phase 380V
Roller Speed	18.3m/min
Wire Size	20x20-1x1mm (Hexagon)
Roller Material	Cr12MoV
Roller Hardness	HRC 60-62
Roller Size	Φ132x228mm
Lubrication System	Bearing Bush Grease Lubricated




10P Double Head Wire Rolling Mill




Specification

Size	LxWxH (1600x770x1500)mm
Weight	2200kg
Motor	7.5kW
Voltage	3 Phase 380V
Roller Speed	13.1m/min
Wire Size	25x25-1x1mm (Hexagon)
Roller Material	Cr12MoV
Roller Hardness	HRC 60-62
Roller Size	Φ151x250mm
Lubrication System	Bearing Bush Grease Lubricated



15P Double Head Wire Rolling Mill



Specification

Size	LxWxH (1700x1200x1560)mm
Weight	3000kg
Motor	11kW
Voltage	3 Phase 380V
Roller Speed	19m/min
Wire Size	30x30–6x6 mm (Hexagon)
Roller Material	Cr12MoV
Roller Hardness	HRC 60–62
Roller Size	Φ180x250mm
Lubrication System	Bearing Bush Grease Lubricated

