

1.5P Precision Sheet and Wire Rolling Mill

Sheet Forming Series



Specification

Size	LxWxH (410x370x1250)mm
Weight	175kg
Motor	1.1kW
Voltage	3 Phase 380V
Roller Speed	4.9m/min
Output Thickness	6-0.1 mm
Roller Material	Cr12MoV
Roller Hardness	HRC 60-62
Roller Size	Φ75x140 mm
Lubrication System	Hand Refuel





Specification

Size	LxWxH (500x430x1350)mm
Weight	185kg
Motor	1.5kW
Voltage	3 Phase 380V
Roller Speed	4.9m/min
Output Thickness	6-0.1 mm
Roller Material	Cr12MoV
Roller Hardness	HRC 60-62
Roller Size	Φ80x152 mm
Lubrication System	Hand Refuel



3P Precision Sheet and Wire Rolling Mill



Size	LxWxH (500x430x1350)mm
Weight	200kg
Motor	2.2kW
Voltage	3 Phase 380V
Roller Speed	4.9m/min
Output Thickness	7-0.1 mm
Roller Material	Cr12MoV
Roller Hardness	HRC 60-62
Roller Size	Φ86.5x165mm
Lubrication System	Hand Refuel



5.5P Precision Sheet and Wire Rolling Mill

Wire Forming Series



Size	LxWxH (1200x640x1370)mm
Weight	600kg
Motor	4kW
Voltage	3 Phase 380V
Roller Speed	15m/min
Output Thickness	25-0.1mm
Flat Length	<115mm
Wire Size	7x7-1x1mm
Roller Material	Cr12MoV
Roller Hardness	HRC 60-62
Roller Size	Φ108x228mm
Lubrication System	Bearing Bush Grease Lubricated

7.5P Precision Sheet and Wire Rolling Mill



Size	LxWxH (1340x750x1420)mm
Weight	900kg
Motor	5.5kW
Voltage	3 Phase 380V
Roller Speed	18.3m/min
Output Thickness	25-0.1mm
Wire Size	10x10~1.5x1.5mm
Roller Material	Cr12MoV
Roller Hardness	HRC 60-62
Roller Size	Φ132x228mm
Lubrication System	Bearing Bush Grease Lubricated

5.5P Precision Wire Rolling Mill



Size	LxWxH (1200x640x1370)mm
Weight	600kg
Motor	4kW
Voltage	3 Phase 380V
Roller Speed	15m/min
Wire Size	7x7-1x1 mm
Roller Material	Cr12MoV
Roller Hardness	HRC 60-62
Roller Size	Φ108x228mm
Lubrication System	Bearing Bush Grease Lubricated

7.5P Precision Wire Rolling Mill



Size	LxWxH (1340x750x1420)mm
Weight	900kg
Motor	5.5kW
Voltage	3 Phase 380V
Roller Speed	18.3m/min
Wire Size	7x7—1x1mm
Roller Material	Cr12MoV
Roller Hardness	HRC 60–62
Roller Size	Φ132x228mm
Lubrication System	Bearing Bush Grease Lubricated

10P Precision Wire Rolling Mill



Size	LxWxH (1430x760x1500)mm
Weight	1200kg
Motor	7.5kW
Voltage	3 Phase 380V
Roller Speed	21m/min
Wire Size	14x14-6x6mm
Roller Material	Cr12MoV
Roller Hardness	HRC 60-62
Roller Size	Φ151x250mm
Lubrication System	Bearing Bush Grease Lubricated

15P Precision Wire Rolling Mill



Size	LxWxH (1530x840x1600)mm
Weight	1700kg
Motor	11kW
Voltage	3 Phase 380V
Roller Speed	25m/min
Wire Size	18.5x18.5-11x11mm
Roller Material	Cr12MoV
Roller Hardness	HRC 60-62
Roller Size	Φ180x250mm
Lubrication System	Bearing Bush Grease Lubricated

20P Precision Wire Rolling Mill



Size	LxWxH (1740x900x1700)mm
Weight	3000kg
Motor	15kW
Voltage	3 Phase 380V
Roller Speed	13.4m/min
Wire Size	23.5x23.5-17x17mm
Roller Material	Cr12MoV
Roller Hardness	HRC 60-62
Roller Size	Φ200x250mm
Lubrication System	Bearing Bush Grease Lubricated